

# LAC 720 SL

## Technical sheet

권장용도 : Tennis bubble, Marquees, Warehouses

Characteristics	Values		Units	Standards
	Warp	Weft		
<b>일반적 특성</b>				
기본 직물	1100 dTex PES HT			
	990 den			
코팅	PVC Lowick coating both side			
마감	Cleangard lacquer both sides			
중량		720	g/m <sup>2</sup>	ISO 3801
Width	300	300	cm	
Roll length	60	250	ml	

## 직물 저항성

인장강도	300	300	daN/5cm	NF EN ISO 1421
인열강도	35	35	daN	EN 17679 / DIN 53363
접착도		11	daN/5cm	NF EN ISO 2411
내한성		-35	°C	NF EN 1876-1
내열성		70	°C	[24h]
		M2		NF P 92 503
내화성능		B1		DIN 4102
		BS		BS 7837
		B-s2-d0		Euroclasses EN 13501-1
		T2		NF EN 14115



## SAINT CLAIR TEXTILES

415, avenue de Savoie  
F-38110

Saint-Clair-de-la-Tour  
Tel. (+33) 04 74 83 51 00

[www.saintclairtextiles.com](http://www.saintclairtextiles.com)

