

SUNVIEW 05W

Technical sheet

권장용도 : Protection solaire, 테라스어닝, 세일쉐이드

Characteristics	Values		Units	Standards
	Warp	Weft		
일반적 특성				
기본 직물	550 dTex PES HT 495 den			
코팅	PVC			
중량		430	g/m ²	ISO 3801
두께		0.46	mm	ISO 5084
Width	300	300	cm	
Roll length	30	60	ml	

직물 저항성

인장강도	260	260	daN/5cm	NF EN ISO 1421
인열강도	37	37	daN	EN 17679 / DIN 53363
접착도		7	daN/5cm	NF EN ISO 2411
내한성		-30	°C	NF EN 1876-2
내열성		70	°C	(24h)
내화성능		M2		NF P 92 503
		B1		DIN 4102
		T2		NF EN 14115



SAINT CLAIR TEXTILES

415, avenue de Savoie
F-38110

Saint-Clair-de-la-Tour
Tel. (+33) 04 74 83 51 00

www.saintclairtextiles.com

